

diamant/cbn industrie

Nadelfeilen TYPE 21
Needle files

Maschinenfeilen TYPE 23
Files for machines

Makrofeilen TYPE 26
Macro-files

Riffelfeilen TYPE 28
Rifflers







Kontaktfeilen TYPE 29
Contact-files

hartvernickelt / hard nickel layer

Finzler, Schrock & Kimmel GmbH
Arzbacher Straße 55-57
D-56130 Bad Ems
Tel.: +49 (0) 26 03 / 9 60 30
Fax: +49 (0) 26 03 / 9 60 3-70
e-Mail: industrie@fis-online.com
Internet: www.fis-online.com



TYPE 21 - Nadelfeilen hartvernickelt
TYPE 21 - Needle files with hard nickel layer

Bestell-Nr. FIS Order-No. FIS	Profilform Profile	Abmessungen Dimensions mm
IK21 12 070*		5,3 x 1,6
IK21 32 070		3,5
IK21 42 070		2,8
IK21 52 070		5,4 x 2,0
IK21 62 070		3,3
IK21 72 070		6,1 x 1,8

* Feilen mit stumpfen Enden / * Files with blunt end

INFO


Standardkörnungen
Standard grit

D91, D126, D151






TOLERANZEN, TOLERANCES

Längen, lengths
Profil, profile

± 1,0 mm
± 0,3 mm



TYPE 23 - Maschinenfeilen hartvernickelt
TYPE 23 - Files for machines with hard nickel layer

Bestell-Nr. FIS Order-No. FIS	Profilform Profile	Abmessungen Dimensions mm	T mm	L mm
IK23 12 020		2,4 x 1,5	60	100
IK23 12 045		4,1 x 2,0	80	125
IK23 12 090		10,1 x 4,2	80	150
IK23 12 110		11,2 x 4,2	120	200
IK23 32 035		3,3	80	125
IK23 32 045		4,3	80	150
IK23 32 080		8,1	80	150
IK23 32 100		10,2	120	200
IK23 42 040		4,1	80	125
IK23 42 050		5,1	80	150
IK23 42 100		10,2	120	200
IK23 52 080		8,2 x 4,1	80	150
IK23 52 100		10,2 x 5,1	120	200
IK23 62 020		2,2	60	100
IK23 62 050		5,3	80	125
IK23 62 100		10,3	120	200

INFO


Standardkörnungen
Standard grit

D91, D126, D151






TOLERANZEN, TOLERANCES

Längen, lengths
Profil, profile

± 1,0 mm
± 0,3 mm



TYPE 26 - Makrofeilen hartvernickelt
TYPE 26 - Macro files with hard nickel layer



Bestell-Nr. FIS Order-No.	Profilform Profile	Abmessungen Dimensions mm
IK26 12 105		10,3 x 2,7
IK26 32 105		10,1
IK26 42 105		5,0
IK26 52 105		12,3 x 3,7
IK26 62 105		6,7

INFO

Standardkörnungen / *Standard grit* D91 D126 D151

TOLERANZEN, TOLERANCES

Längen, *lengths* ± 1,0 mm
 Profil, *profile* ± 0,3 mm



Feilensätze hartvernickelt
Sets of files with hard nickel layer

Nadelfeilensatz im Etui
Set of needle files in a box

Bestell-Nr. FIS Order-No.	bestehend aus consisting of
IK21 200 070	2112-2132-2142-2152 -2162

Nadelfeilensatz - Körnung / *Set of needle files - Grit*

Standardkörnungen / *Standard grit* D91 D126 D151

Riffelfeilensatz im Etui
Set of rifflers in a box

Bestell-Nr. FIS Order-No. FIS	bestehend aus consisting of
IK28 15 001	2813-2833-2843-2892-2893

Riffelfeilensatz - Körnung / *Set of rifflers - Grit*

Standardkörnungen / *Standard grit* D91 D126 D151

Makrofeilensatz im Etui
Set of Macro files in a box

Bestell-Nr. FIS Order-No. FIS	bestehend aus consisting of
IK26 000 105	2612-2632-2642-2652-2662

Makrofeilensatz - Körnung / *Set of Macro files - Grit*

Standardkörnungen / *Standard grit* D91 D126 D151